Conveyor System DT2



Description

315 mm width thermoplastic belt with aluminium frame conveyor system

Examples of application industries

Personal Products, Pharmaceutical & Chemical Industry, Automotive & Machined Parts Industry, Food & Packaging Industry, Electrical & Electronic Industry, Paper Converting Industry and Optical Industry

Technical characteristics

Chain Width		315 mm
Chain Pitch		45 mm
Chain Weight		3.80 kg/m
Chain Maximum	With Bend	1400N
Working Tension	Without Bend	1500N
Max Product Weight*		30 kg
Total Load*		300 Kg
Working Temperature*		-10°C to 60°c
Max Conveyor Length*		30m
Max Speed*		50 m/min
Drive Unit Capacity		1500 N
Item Width*		<500 mm



* Actual limit may vary according to conveyor layout and application.

* Maximum total off 90° bends in one conveyor.


Please consult MODU representative for further information and assistance.

Units: Dimension (mm)



Chains MT2

Plastic Curve Belt



15

- 8.5mm belt gap.

- Suitable for conveyor configuration with incline/decline up to 5°.

- Accumulation possible.

Item Code	Material	Colour	Weight	Supply
MT2 ST CP 5	POM	White	19.0 kg/roll	5m/roll

Plastic Straight Belt




- 0mm belt gap.

- Suitable for conveyor configuration with incline/decline up to 5°.

- Accumulation possible.

Item Code	Material	Colour	Weight	Supply
MT2 ZG CP 5	POM	White	20.6 kg/roll	5m/roll

Plastic Cleated Belt



- Required for vertical or steep inclined / declined conveyor.

- Accumulation not possible.

- Not suitable to be use with Combined and Catenary Drive.

- Please specify pitch between cleat for

ordering (eg. MT2 ST CC 3x15P 3p = Every 3rd link to be cleated). **Please consult MODU representataive for actual Chain weight.


Item Code	Material	Colour	Weight	Supply
MT2 ST CC 3	POM	White	-	3m/roll



Please consult MODU representative for further information and assistance.

Units: Dimension (mm)





Chain Accessories MT2




Chain Pin



Item Code	Material	Colour	Weight	Supply
MT2 PC	POM	White	0.12kg	10pcs/pkt


Belt Lock




Item Code	Material	Colour	Weight	Supply
MT2 BL	POM	White	0.07kg	10pcs/pkt







Front Drive Unit




Note:

- Refer TR15 for chain effective track length calculation.



Idler End





Effective track length: 0.8m

- Connecting strip and set screw included.

Note:

- Refer TR15 for chain effective track length calculation.

Please consult MODU representative for further information and assistance.

Units: Dimension (mm)





Simplicity . Solutions

Conveyor Beam DT2



Item Code	Weight	Supply
DT2 CB 2.4	18.5 kg	2.4 m



Accessories DT2



Slide Rail


MS SR 25P

Item Code	Material	Colour	Weight	Supply
MA2 SR 25	HDPE	Pure White	2.8 kg/roll	25m/roll
MA2 SR 25A	Anti-Static	Grey	2.8 kg/roll	25m/roll
MA2 SR 25U	UHMW-PE	Semi-Transparent White	3.5 kg/roll	25m/roll

Natural white



Slide Rail			
Item Code	Material	Colour	Weight
MS SR 25	HDPE	Pure White	1.2 kg/roll
MS SR 25A	Anti-Static	Grey	1.2 kg/roll
MS SR 25U	UHMW-PE	Semi-Transparent White	2.7 kg/roll



Connecting Strip

Item Code	Weight	Supply
DA CS 61X140	4.5 kg	10 pcs/pkt
- 8 pcs M8 set sc		

PVDF



2.7 kg/roll

T-Slot Cover

Item Code	Material	Colour	Weight	Supply
MB SC 25T	TPE	Grey	1.5 kg/roll	25m/roll
MB SC 25P	PVC	Light Grey	1.3 kg/roll	25m/roll

Supply 25m/roll 25m/roll

25m/roll


25m/roll





101	Screw			2.00	Rivet		
100	Item Code	Weight	Supply		Item Code	Weight	Supply
	MA RS 6.5	0.02 kg	50 pcs/pkt		MA RR 3	0.02 kg	50 pcs/pkt
			····	and the second s	Material: Brass	Nickel plated	(3mm)
	Slide Rail				Slide Rail		Supply
	Slide Rail	Weight	Supply		Item Code	Weight	Supply
	Item Code						Supply 1 pc
	Item Code	Weight	Supply		Item Code	Weight	

Chain Installation Section



Item Code	Weight	Supply
DT2 CIS 300	4.9 kg	1 Unit

- Connecting strip and set screw included.



Please consult MODU representative for further information and assistance.

